










別 表






1. 6ABO 区発見主要建物一覽表

造営期	遺 構	規 模	棟方向	廂	桁行cm(尺)	梁行cm(尺)	廂cm(尺)	柱穴m(廂)	cm/尺
I	* SB 167	7 × 2	NS		2065 (70)	585 (20)		方0.6	29.5, 29.3
	* SB 176	9 × 4	NS	E・W	2652 (90)	1200 (40)	300 (10)	0.7(0.4)	29.5, 30.0
	* SB 205	7 × 2	NS		2043 (69)	592 (20)		1.0	29.6
	SB 269	1	NS		446 (15)			1.1	
	SB 317	7 × 4	EW	E・W・N・S	1916 (64.5)	1218 (41)		1.2(1.2)	29.7
	* SB 170	5 × 4	EW	N・S	1485 (50)	1246 (42)	356 (12)	1.0	29.7
II 1	* SB 177 A	7 × 3	NS	W	2079 (70)	891 (30)	297 (10)	1.0(0.8)	29.7
	* SB 186 A	7 × 4	EW	N・S	2079 (70)	1188 (40)	297 (10)	1.2(1.2)	29.7
	* SB 194 A	7 × 2	EW		2079 (70)	504 (17)		1.2	29.7
	* SB 200	7 × 4	EW	E・W・N・S	1930 (65)	1128 (38)	282 (9.5)	1.3(1.3)	29.7
	* SB 212	7 × 2	EW		1890 (63)	600 (20)		0.8	30.0
	SB 299	7 × 2	NS		1871 (63)	594 (20)		0.9	29.7
	SB 347	5 × 1	EW		1185 (40)	327 (11)		0.7	29.7
	SB 370	7 × 2	NS		1871 (63)	594 (20)		0.7	29.7
II 2	* SB 112	7 × 2	EW		2079 (70)	594 (20)		1.2	29.7
	* SB 131	5 × 2	EW		1485 (50)	594 (20)		1.2	29.7
	* SB 143	13 × 2	EW		3939(130)	606 (20)		1.2	30.3
	* SB 145	5 × 2	EW		1485 (50)	594 (20)		1.2	29.7
	* SB 177 B	7 × 2	EW		2079 (70)	594 (20)		1.0	29.7
	* SB 186 B	7 × 2	EW		2079 (70)	594 (20)		1.0	29.7
	* SB 194 B	7 × 2	EW		2079 (70)	594 (20)		1.0	29.7
	* SB 201	7 × 5	EW	N・S・S'	2079 (70)	1573 (52)	{297 (10) 386 (13)}	1.0(1.0)	29.7
	* SB 206	7 × 2	NS		2079 (70)	594 (20)		1.0	29.7
	* SB 209	7 × 2	NS		2079 (70)	594 (20)		1.0	29.7
	* SB 213	7 × 2	EW		2079 (70)	594 (20)		1.0	29.7
	SB 293	7 × 3	NS		2080 (70)	713 (24)		1.0	29.7
	SB 320							0.9	29.7
	SB 341	5 × 3	NS		1500 (50)	718 (24)		0.8	29.9
	SB 364	9 × 4	EW	N・S	2406 (81)	1083 (36)	271 (9)	1.1	{29.7 桁 30.1 梁}
	* SB 113	6 × 2	EW		1782 (60)	564 (19)		1.0	29.7
	* SB 166	5 × 2	EW		1337 (45)	594 (20)		0.8	29.7
II 3	* SB 116	5 × 3	NS	W	1360 (45)	821 (27)	337 (11)	0.8(0.8)	30.2, 30.6
	* SB 135	3 × 1	EW		788	351		0.8	
	* SB 146	5 × 2	NS		1115 (37.5)	446 (15)		0.8	29.7
	* SB 182	5 × 3	NS	E	1115 (37.5)	772 (26)	337 (11)	0.6(0.5)	29.7
	* SB 191	5 × 2	NS	E・W	1188 (40)	1158 (39)	356 (11.5)	1.0(0.5)	29.7
	* SB 211	5 × 4	EW	N・S	1188 (40)	1158 (39)	{359 (12) 326 (11)}	0.8(0.8)	29.7
	SB 268	3 × 2	EW		846 (28.5)	475 (16)		0.9	29.7
	SB 273	5 × 2	EW	S	1337 (45)	861 (29)	327 (9)	0.9(0.9)	29.7
	SB 285	5 × 3	NS	E	1337 (45)	950 (32)	355 (12)	1.2(1.0)	29.7
	SB 307	3 × 3	EW	S	450 (15)	645 (21.5)	285 (9.5)	0.4(0.4)	30.0
	SB 308	3 × 3	EW	S	490 (16.5)	654 (22)	297 (10)	0.5(0.4)	29.7
	SB 314	5 × 2	EW		1065 (35)	424 (14)		1.2	30.3
	SB 321	7 × 2	EW		1657 (56)	414 (14)		0.8	29.6
	SB 327	5 × 3	EW	S	1188 (40)	838 (28)	358 (12)	1.1(0.8)	29.8
	SB 340	3 × 2	EW		713 (24)	505 (17)		0.8	29.7
	SB 348	5 × 2	EW		1335 (45)	535 (18)		1.1	29.7
	SB 413	5 × 3	EW	S	1188 (40)	852 (28.5)	314 (10.5)	1.0	{29.7 桁 29.9 梁}
III	* SB 236	4 × 2	NS		1128 (38)	534 (18)		0.8	29.7
	* SB 246	5 × 2	NS		1188 (40)	475 (16)		0.8	29.7~29.8
	SB 349	4 × 2	EW		951 (32)	416 (14)		0.9	29.7
	SB 386	5 × 2	EW		1188 (40)	475 (16)		0.75	29.7

*印は「平城宮報告Ⅱ」で報告したものである。「尺」は 造営尺で、完数を用いたものと仮定した。

2. 軒 丸 瓦

型 式 番 号		瓦 当 面											全 玉 緑 長	長	個 体 数			%	
		直 径	内 区					外 区							6 A B O 区	6 A B B 区	計		
			中 房 径	蓮 子 数	弁 区 径	弁 幅	弁 数	外 区 広	内 縁		外 縁								
									幅	文 様	幅	高							文 様
6131-A		167	40	1+8	124	12	T16	21	8	S24	13	11	RV24		2	0	2	1.0	
6131-B		152	35	1+8	104	12	T16	24	10	S24	14	11	RV24		1	0	1	0.5	
6133-A		169	34	1+5	96	17	T12	36	19	S13	17	9		400	50	8	10	5.0	
6133-B		161	36	1+6	90	17	T12	35	17	S15	18	9		406	58	1	1	0.5	
6133-C		166	40	1+6	97	17	T13	29	16	S18	13	8			2	0	2	1.0	
6133-D		157	40	1+6	117	17	T16	23	14	S24	9	8			2	0	2	1.0	
6134-A		161	36	1+8	96	11	T12	32	19	S16	13	13	LV16	400	59	3	4	1.9	
6225		167	68	1+8	116	36	F8	25	12	K	13	8	RV24	373	48	10	13	6.3	
6227		157	61	1+8	119	28	F8	19	9	K	10	7			1	0	1	0.5	
6235		168	56	1+5	112	29	F8	28	17	S17	11	9			1	0	1	0.5	
6241		148	39	1+5	88	24	F8	30	15	S20	15	5		402	70	3	3	1.5	
6281-B		204	60	1+8 +8	115	29	F8	45	18	S32	27	21	LV32		1	0	1	0.5	
6282-B		162	45	1+6	86	31	F8	38	20	S24	15	9	LV		25	2	27	13.0	
6282-D		132	27	1+6	64	24	F8	34	20	S24	14	9	LV24		7	0	7	3.4	
6282-F		158	40	1+6	92	32	F8	33	20	S24	13	14	LV24		3	41 (43)	4	3	1.5
6282-G		160	46	1+6	90	24	F8	35	17	S24	18	11	LV		5	2	7	3.4	
6282-H		174	40	1+6	96	23	F8	39	23	S24	16	16	LV22		1	0	1	0.5	
6284-A		156	35	1+6	83	30	F8	36	18	S24	18	13	LV23		6	1	7	3.4	

型 式 番 号		瓦 当 面												全 玉 縁 長	個 体 数	%							
		直 径	内 区					外 区					6 A B O 区				6 A B B 区	計					
			中 房 径	蓮 子 数	弁 区 径	弁 幅	弁 数	外 区 広	内 縁 幅	文 様	外 縁 幅	高							文 様				
6284-B		153	35	1+6	82	21	F 8	36	19	S 20	17	13	LV20		2	9 (12)	3	4	5	13 (16)	2.4	6.3 (7.7)	
6284-C		155	40	1+6	89	23	F 8	33	20	S 24	13	11	LV		1		0		1		0.5		
6285		161	33	1+6	87	24	F 8	37	21	S 23	16	16	LV22		1		0		1		0.5		
6295		166			104	32	F 8	31	16	S	15	5	LV ?	375	43	1		0		1		0.5	
6301-C		160	48	1+5 +10	102	26	F 8	29	16	S 20	13	8	LV33		1		0		1		0.5		
6303		165	40	1+6	95	34	F 8	35	19	S 22	16	11	LV		1		0		1		0.5		
6304-A		162	35	1+6	99	37	F 8	31	15	S 17	16	16	LV16		1		0		1		0.5		
6304-C		159	35	1+6	84	21	F 8	37	20	S 19	17	14	LV		3	4	11		14	15	6.8	7.3	
6306		161	42	1+6	91	23	F 8	35	18	S 24	17	13	LV16	391	47	17		1	18		8.2		
6307		168	35	1+6	92	25	F 8	38	20	S	18	10	LV		2		0		2		1.0		
6308		155	35	1+6	93	28	F 8	31	16	S 16	15	6	LV16		3		1		4		1.9		
6311-A		161	40	1+6	96	26	F 8	32	15	S 26	17	11	LV23	395	56	9		1	10	11	4.9	5.4	
6311-C		157	40	1+6	100	24	F 8	28	15	S 16	13	9	LV16		1	10	0		1		0.5		
6313-C		101	18	1	51	32	F 4	25	12	S 16	13	8	LV16		1		1		2		1.0		
6314-A		140	30	1+6	80	36	F 4	30	15	S 16	15	6	LV		1		0		1		0.5		
6314-B		122	23	1+5	67	32	F 4	27	15	S 19	12	10	LV		0	1	1		1	2	0.5	1.0	
6316-B		142	30	1+ ?	88		F 8	27	14	S	13	9	LV		1		0		1		0.5		
6320		167	38	1+8	88	9	T 24	39	23	S 24	16	14	RV24		4		0		4		2.0		
() は種類不明を加えたもの														型式不明	26	13	39	18.8					
														計	158 (163)	45 (44)	201 (207)	97.4 (100.0)					

3. 軒 平 瓦

型 式 番 号	瓦 当 面											全 長	個 体 数			%
	上 弦 弧	下 弦 弧	厚 さ	内 区 厚 さ	内 区 文 様	上 外 区 厚 さ	上 外 区 文 様	下 外 区 厚 さ	下 外 区 文 様	脇 幅	脇 区 文 様	文 様 の 深 さ	6 A B O 区	6 A B B 区	計	
6561			36		O X G							5	1	0	1	0.4
6641-E			53	20	HK	15	S23	16	LV 20		LV 4	2	1	0	1	0.4
6641-F			50	24	HK	11	S23	15	LV 20	60	LV 3	2	1	0	1	0.4
6643-B		78	48	22	HK	12	S	14	S			2	3	0	3	1.2
6643-C		64	49	21	HK	13	S	15	S		S3	2	1	0	1	0.4
6643-D		69	46	19	HK	14	S	13	S	61	S4	2	1	0	1	0.4
6663-A	284	286	55	29	KK	14	K	16	K	62	K	2	7	0	7	2.8
6663-B			59	28	KK	15	K	16	K	64	K	2	8	4	12	4.8
6663-C	270	72	282	53	26	KK	14	K	13	K	73	K	3	4	6	2.4
6664-A			62	31	KK	18	S21	19	S21	80	S3	3	2	0	2	0.8
6664-C	240	62	252	51	24	KK	14	S21	13	S21	62	S3	4	27	30	12.0
6664-D	240	60	269	60	22	KK	20	S17	18	S19	74	S3	5	358	7	3.2
6664-F	245	61	275	58	27	KK	14	S19	17	S21	78	S3	5	375	4	2.0
6664-G	248	80	60	23	KK	20	S17	17	S17	59	S3	6	2	1	3	1.2
6664-H			57	24	KK	17	S	16	S		S	6	2	1	3	1.2
6664-I			53	24	KK	16	S21	12	S21		S3	4	2	2	4	1.6
6664-K			62	27	KK	16	S	22	S		S	6	2	6	8	3.2
6665			58	27	KK	18	S23	13	S25		S3	3	2	2	4	1.6
6666	222	57	232	52	22	KK	15	S19	14	S17	62	S3	5	321	1	0.4
6667			62	23	KK	17	S21	22	S21		S3	6	0	3	3	1.2
6668			49	18	KK	15	S	16	S			4	1	0	1	0.4
6681	273	80	274	48	17	KK	17	K	14	K	68	K	9	352	1	0.4

型 式 番 号		瓦 当 面												全 長	個 体 数			%		
		上 弦 弧	弧 深	下 弦 弧	厚 さ	内 区 厚 さ	内 区 文 様	上 外 区 厚 さ	上 外 区 文 様	下 外 区 厚 さ	下 外 区 文 様	脇 幅	脇 区 文 様		文 様 の 深 さ	6 A B O 区	6 A B B 区		計	
6682		245	78	273	52	24	KK	15	S17	13	S17	78	S3	5	350	7	0	7	2.8	
6685-B		200	51	204	38	13	KK	12	S15	13	S15	47	S1	4	327	9	0	9	3.6	
6688					47	16	KK	14	S	17	S		S3	3	1	0	1	0.4		
6691-A		270	55	293	55	25	KK	14	S21	16	S21	58	S3	4	14	1	15	6.0		
6694		235	67	275	60	32	KK	17	S15	11	S17	70	S2	4	1	0	1	0.4		
6718							KK	16	S				S	5	1	0	1	0.4		
6721-A		260	54	268	45	21	KK	12	S26	12	S27	53		3	365	4	0	4	1.6	
6721-C		265	49	280	53	25	KK	15	S26	13	S32	60		3	8	0	8	3.2		
6721-E					42	22	KK	10	S	10	S	50		2	1	0	1	0.4		
6721-F			65		52	26	KK	13	S37	13	S37	65		3	6	0	6	2.4		
6721-G		260	60	280	47	24	KK	11	S35	12	S35	52		3	4	1	5	2.0		
6721-H		285	69	293	51	21	KK	14	S34	16	S	57	S3	3	1	0	1	0.4		
6732-A		285	47	305	69	36	KK	15	S11	18	S11	75	S1	4	340	13	0	13	5.2	
6732-B					61	32	KK	16	S11	14	S11	62	S1	5	4	21 (28)	0	4	4	1.6
6732-C					60	30	KK	14	S	16	S	65	S1	3	4	4	8	3.2		
6735					62	30	KK	15	S	17	S			5	1	0	1	0.4		
6760		240	41	265	54	25	KK	14	S19	15	S21	53	S2	5	0	1	1	0.4		
6763		247	45	268	63	29	KK	20	S11	14	S11	64	S1	3	2	0	2	0.8		
6779					68	19	KK	24	S	25	S			5	1	0	1	0.4		
6791-A					50	19	KK	13	S+X	18	S+X	63	S2	4	344	1	0	1	0.4	
7791-B					49	24	KK	12	S+X	13	S+X				1	0	1	0.4		
6801		269	60	292	62	35	U	14		13		68		4	2	0	2	0.8		

(T-単弁 S-複弁 S-珠文 K-圈線・界線 LV-線鋸歯文 RT-凸鋸歯 ()は種類不明を加えたもの
文 G-重弧文 U-飛雲文 KK-均整唐草文 HK-偏行唐草文 単位-mm)

型式不明	14	0	14	5.6
計	180 (213)	33 (38)	213 (251)	85.2 (100.1)